

Clarification on Pre-Bid queries for Phase II Procurement of Goods by DECT Govt of Meghalaya

#	Query Date	Package No.	Lot No	Item SI No.	Query no	Query from	Trade	Item	Query Details	Status	Clarification
1	21-Aug-18	5	1	19	1	South Precesion pvt ltd.	Surveyor Trades	Instrument for Total Station with latest model	They want to know the quantity of Prism & Prism pole set each or 2nos of Prism or Prism pole set each.	Closed	2 nos of Prism with Each Prism pole set.
2	21-Aug-18	15	1	12, 16, 19, 21, 25, 27, 30, 33, 34	1	M/s Puri Scientific Works	Not Mentioned	Wall Charts/Posters	Item nos. 12, 16, 19, 21, 25, 27, 30, 33 & 34 are regarding Wall Charts/Posters for different items/trades. Units for quantity to be supplied is Set. Please clarify how many charts against each item will consist of one set and what will be the size of one chart in terms of its length & width. Reason for above clarification is that against a particular item say Item No. 34, Wall-Chart-Fitter, no. of charts is open ended and it will be difficult to compare price of one set consisting of 2 charts in one bid and 10 charts in another bid. Similar situation will arise in case of size of chart.		15-Charts per Set. The standard size of Chart atleast 23 Inch x 36 Inch. The Chart should be of different Topics of a Trade. Chart should be in Color.

								Generally, 20 inch*30 inch is considered as standard size and typically one set may contain 10 charts of 20 inch*30 inch size. More over we have minimum different type/topic 15 Charts of each trade .		
3	21-Aug-18			12				Wall charts - Electronics Mechanic	Closed	Trade : Electronics Mechanic Material -Wall hanger , Laminated,Heavy Thick Sheets. Size- Size: 23" x 36"(aproximate) Publication - NATIONAL INSTRUCTIONAL MEDIA INSTITUTE,Chennai (1st year: 25 charts) (2nd year:25 charts)

4			16				Wall charts for Carpentry	Closed	<p>Charts of set of Wall Charts</p> <p>Material -Wall hanger , Laminated,Heavy Thick Sheets.</p> <p>Size- Size: 23" x 36"(aproximate)</p> <p>Color -Multicolor</p> <p>Type -</p> <ol style="list-style-type: none"> 1. Safety in Carpentry 2. Marking Tools in Carpentry 3. Types of Saws 4. Types of Planes 5. Holding Tools in Carpentry 6. Carpentry Joints <p>Publication - NATIONAL INSTRUCTIONAL MEDIA INSTITUTE,Chennai or other publication</p>
			19				Wall charts Electrician	Closed	<p>Trade : Electrician</p> <p>Material -Wall hanger , Laminated,Heavy Thick Sheets.</p> <p>Size- Size: 23" x 36"(aproximate)</p> <p>Publication - NATIONAL INSTRUCTIONAL MEDIA INSTITUTE,Chennai</p> <p>(1st year: 25 charts)</p> <p>(2nd year:25 charts)</p>
			21				Wall charts Dress Making	Closed	<p>: Dress Making</p> <p>Material -Wall hanger , Laminated,Heavy Thick Sheets.</p> <p>Size- Size: 23" x 36"(aproximate)</p> <p>Publication - NATIONAL INSTRUCTIONAL MEDIA INSTITUTE,Chennai or Other Publication</p> <p>(1st year: 25 charts)</p> <p>(2nd year:25 charts)</p> <p>Type - Projection of Drawaings- Bodice Block with Measuments, Pattern Making Block's of any other Garments , Type of swing Machine , fasion illustration .</p>

				25				Wall charts for Costemology	Closed	<p>Trade : Costemology</p> <p>Material -Wall hanger , Laminated,Heavy Thick Sheets.</p> <p>Size- Size: 23" x 36"(aproximate)</p> <p>Publication - NATIONAL INSTRUCTIONAL MEDIA INSTITUTE,Chennai or Other Publication</p> <p>(1st year: 25 charts)</p> <p>(2nd year:25 charts)</p> <p>Types of chart:- Models different feature chart, hairstyle chart, facial chart, make-up chart, accesories chart, body type chart, yoga chart for mentaining of physique, etc</p>
				27				Wall charts for Engineering Drawing	Closed	<p>Charts of set of</p> <p>Material -Wall hanger , Laminated,Heavy Thick Sheets..</p> <p>Size- Size: 23" x 36"(aproximate)</p> <p>Color -Multicolor</p> <p>Type -</p> <p>1st angle and 3rd angle projections</p> <p>Drafting Instruments</p> <p>Convention for various materials & breaks</p> <p>Conventional representation of springs</p> <p>Types of Solids</p> <p>Parallel Line Method-I (Development of right Prism)</p> <p>Parallel Line Method-III (Development of pipe)</p> <p>Projection of planes.</p> <p>Orthographic Projection-II (Types of Pictorial Projection)</p> <p>Drawing of different geometrical shapes</p> <p>Description, Conventions and uses of Various Lines</p> <p>Conventional representations of common features</p> <p>Summary of Projections of Planes</p> <p>Development of surfaces</p> <p>(Methods of development)</p> <p>Parallel Line Method-II (Development of right Cylinder)</p> <p>Radial Line Method</p>

										(Development of right pyramid, development of right cone) Orthographic Projection -I Orthographic Projection-III (Comparison of first and third Angle Projections) (According to I.S.I 1972) (According to ISI) Position of a Points-I (Vertical & Horizontal) Projection of straight line in different quadrants-I Section of solids-I (Classification & Term Used) Position of a Points -II (In Four Quadrants) Projection of straight line summary of Projection of straight line-II Section of solids-II (Classification & Term Used) Types of Sectional views Types of Auxiliary views Basic commands of Auto CAD
			30					Wall charts for Mason	Closed	Charts of set of Material -Wall hanger , Laminated,Heavy Thick Sheets..Size- Size: 23" x 36"(aproximate) Color -MulticolorType ofConstruction label chart, Construction Element chart, Chart for wall footing & coomon bond brick wall, Chart for hight of course using various size of Bricks and Joints (in inch), Chart for laying corner 1st phas, 2nd phase, Lintel size chart for various wall thicknes (in inches),Work place safety chart for mason, Masonry Career chart,Chart showing various stages of
			33					Wall Charts for Welder Trades	Closed	Chart /Poster set of Trade : Welder Material -Wall hanger , Laminated,Heavy Thick Sheets. Size- Size: 23" x 36"(aproximate) Color -Multicolor Publication - NATIONAL INSTRUCTIONAL MEDIA INSTITUTE,Chennai (1st year: 25 charts) (2nd year:25 charts)
			34					Wall charts for Fitter Trades	Closed	Chart /Poster set of Trade : FitterMaterial -Wall hanger , Laminated,Heavy Thick Sheets.Size- Size: 23" x 36"(aproximate)Color -MulticolorPublication - NATIONAL INSTRUCTIONAL MEDIA INSTITUTE,Chennai(1st year: 25 charts)(2nd year:25 charts)

3	21-Aug-18		189	2	M/s Puri Scientific Works	Not Mentioned		Item nos. 13, 14 & 15 are related to Software/Digital content, it would be more appropriate to club these items with Lot-3, I T Equipment or software you may treat it as seprate Lot as it is licensed item and if you purchased it directly from company .	Closed	Provision for Separate Lot number for these items is not possible nor it can be merged with Lot-3. Hence, it is to be supplied under Lot-1 only.
			17					Sample Model /parts	Closed	<p>Sample Model– Set of</p> <ul style="list-style-type: none"> • Pipe fitting for water supply system - (Material – CVPC , Size - 1 inch) Elbow, Socket-, Tee, Flanges,MTA,FTA, , Union,Ball valve , Tank Nipple, Reducing Tee -0.5 * 1 inch , Reducing Elbow size of0.5 * 1 inch Thread Elbow (3/4"), Reducer 0.5 * 1 inch • Pipe fitting for drainage system- (Material- PVC , Size- 4 inch)Elbow, Tee, , Y Tee, Shoe, Nahani Trap, P Trap, S Trap. Reducer (2.5*4 inch)
			18					Sample Model /parts	Closed	Sample model for Bathroom & Kitchen Fitting - Set of Bib Cock ,Pillar Cock, Center Pillar Cock, Angle Cock ,Basin Mixer, Wall Mixer, Two way Diverter, Spout ,Metro pole Valve,Waste Coupling ,Sink Cock, Sink Coupling,Bottle Trap, Health Faucet ,Hand Shower ,PVC Connection Pipe, Spreader ,Dranage Strainer . Cut section - Flush System (Plastic Material)

Items should be Mounted on color Painted 10 MM thick ,Size 58X90 cm boards and each items should be represented by tag (in English Language) for the information about respective Items. and it should be portable/ wall hanging type and all side of board should be cover with suitable size of Aluminum frame .

Demonstration Board for wires and Cables :-

Board Should accommodate the following small pieces(6'' Approx.)

1)wires and Cables:-

- a) PVC Flexible wire
- b) PVC Single Strand wire
- c) PVC Aluminum wire
- d) PVC Telephone Cable
- e) PVC Two Core cable
- f) Screened Cable
- g) Armored Copper Cable 3.5 Core
- h) Armored Aluminum Cable 3.5 Core
- i) PVC Flexible wire Twin Core Cable
- j) Multi Conductor Cable
- k) Ribbon Cable
- l) Lead Sheathed Cable

2)Lugs And Glands :-

- a) PVC Gland 25mm dia.
- b) Brass Gland 25mm dia.
- c) SS gland 25mm dia.
- d) Aluminum and Copper 2.5 sq mm size Lugs , Fork ,Pin, Ring type Insulated And non Insulated Type.
- e) Copper Tubular Cables Lugs 16sqmm
- f) Aluminum Tubular Cables Lugs 16sqmm
- g) End Sleeve 10 mm
- h) Aluminum Connectors 2.5sqmm
- i) Copper connectors 2.5sqmm
- j) Wire Pin 2.5sqmm

										<p>3)Bus-bars :-</p> <ul style="list-style-type: none"> a) Tubular Bus Bars Cooper Bus Bars 50 Sq mm b) Solid Copper Bus bars 25 X5 mm c) Flat copper Bus Bars 25 X3 mm d) Tubular Bus Bars Aluminum 50 Sq mm e) Solid Aluminum Bus bars 25 X5 mm f) Flat Aluminum Bus Bars 25 X3 mm <p>4)Insulator ad ferrules :-</p> <ul style="list-style-type: none"> a) Pin type insulator for 415 VAC b) Suspension type insulator for 11 KV c) Strain or tension-type insulator for 11KV d) Busbars support Insulator for 415 VAC e) Shackle Insulator for 230 VAc f) Reel Insulator for 230 VAc
			23				Sample Model /parts	Closed	<p>A) Models and parts of dress making:- a) Dress form dummy's(size- 8head, 10head and 12head) each; b) Mannequine (size- 8head, 10head and 12head) each, c) sewing machine parts(standard size as per the machines), d) accessories for dress making(Thread,Zipper,Interlining, Button for example: Snap button, Plastic button,Metal button(Label: Main label , Size Label, Wash care label),Motif(Leather, Plastic, batchMeta),Pocketing fabric,Lining,Velcro,Elastic,Cord,Ribbon,Toggles,Collar bone.</p> <p>B) Models and parts of cosmatology:- 1 Head dummy's(standard size), hairstyle wigs(Petite, extra small, small, average, medium,average to large, large, extra large.), make-up accessories(standard size), stands of instruments(standard size).</p>	

				28				Sample Model /parts	Closed	Sample Model in set of Geometrical / Section Models Construction of Cube , Cuboid, Cone, Prism , Sphere ,Ellips, Parabola, & Hyperbola, Construction of Involutives, Cycloid, Frustum of Cone etc. Material : Wood & Plastic Size of 15 x15 x7.5 cm (aproximate) .
4	21-Aug-18			29	3	M/s Puri Scientific Works	Not Mentioned	Some guidelines regarding quantities and sizes of Sample Model later on els/Parts would also be appreciated.	Closed	Purpose of sample is to make aware students about the fasteners types, in general length- 25 mm aprox., where OD is important- 6mm, where ID is important-6mm; Material: Galvanised Mild steel. Carriage Bolts, Hex Head Bolts, Machine Screws, Shoulder Bolts, Socket Cap Screws, "Grub" Screws, Square Head Bolts Deck Screws, Hex Lag Screws, Self-Drilling Screws, Sheet Metal Screws, Wood Screws Cap Nuts, Castle Nuts, Coupling Nuts, Flange Serrated Nuts, Hex Finish Nuts, Hex Jam Nuts, Heavy Hex Nuts, Hex Machine Nuts, Hex Machine Nuts Small Pattern, Keps-K Lock Nuts, Knurled Thumb Nuts, Nylon Hex Jam Nuts, Nylon Insert Lock Nuts, Square Nuts, T-Nuts, Shear Nuts, Tri-Groove Nuts, Wing Nuts, Acorn, Slotted, Castle, Pin Lock. Backup Rivet Washers, Dock Washers, Fender Washers, Fender Washers - Extra Thick, Finishing Cup Washers, Flat Washers, Flat Washers - Extra Thick, Flat Washers - Military Standard, Lock Washers - Split Ring, Lock Washers - High Collar, Lock Washers - External Tooth, Lock Washers - Internal Tooth, Neoprene EPDM Washers, Square Washers. POP Rivets (Open End), Closed End POP Rivets (Sealed), Large Flange POP Rivets, Countersunk POP Rivets, Multi-Grip Rivets. Dowel Pins, Helicoil Threaded Inserts, E-Z Lok Threaded Inserts, Threaded Rod. Bowed-E Retaining Rings, E-Style Retaining Rings, External Shaft Retaining Rings, Internal Housing Retaining Rings. Type of Head: Hex head, Pan head, Flat head, Round head, Oval head, Truss head, Socket head, Button head. Drive: Phillips, Slotted, Combo, Frearson, Pozidriv, Hex socket (Allen), Star, Square Keys: Square, Feather, Gib Head, Saddle, Woodruff, Tangent. Pins: Drive pin, Knurled pin, Groove pin, Parallel pin, Pull dowel pin, dowel pin, Taper pin, Taper pin (threaded), Coiled spring pin, cotter pin, Clevis pin, Shear pin.

				31						Closed	pl. read specification given at #31 and #32 together as Model of pre construction, waste reduction & construction efficiency model, Revit model, architectural parametric model, and all necessary model for Mason & construction. <i>Universal Brick Construction Set</i> : 600 Reusable clay bricks, 5Kg dissolvable cement, Sample construction plans, bowl and a miniature masonry trowel, plastic doors and windows and 2 boards to construct the models. Therefore ignore #31.
5	21-Aug-18	11	1	227, 243	4	M/s Puri Scientific Works	MMV Trade		Item no. 227, Air Conditioned CRDI vehicle in running condition- LMV and item no. 243 Heavy Commercial Vehicle Type (without body on frame) attract certain clauses of Motor Vehicle Act and only dealer of particular area where vehicle is to registered can only sell the vehicle and vehicle will be directly registered in the name of Purchaser. This practice is being followed by manufacturers of all vehicle. It is requested that item no. 227 & 243 may be removed from this lot and are added in separate lot.	Closed	Removing the said items/equipment from the Lot is not possible. Hence you are requested to explore the possibility/option of Joint Venture with local Dealer/Supplier.
6	21-Aug-18	11	1	270	5	M/s Puri Scientific Works	MMV Trade		Item no. 270 Diesel and item no. 285 Petrol, resale of petrol and diesel is allowed only through filling stations of oil companies, more over these are consumables and will be required by	Closed	Removing the said items/equipment from the Lot is not possible. Hence you are requested to explore the possibility/option of Joint Venture with local Dealer/Supplier.

									concerned ITI's on regular basis. It is requested to remove these items from the lot.		
7	23-Aug-18	4	1	37	1	ROYAL ELECTRONICS SALES & SERVICES	Digital Photographer	Slide & film high resolution scanner with adapter for A3	Specifications for A4 Scanner only. A3 scanner not available.	Closed	A3 Size Flat Bed Scanner : Technical Specifications :A3 Flatbed color image scanner. Optical Resolution:2400 dpi ; Hardware Resolution:2400 x 4800 dpi ; Color Bit Depth:48-bits per pixel internal / external1 ; Grayscale Bit Depth:16-bits per pixel internal / external1, Optical Sensor: CCD ; Maximum Scan Area:12.2" x 17.2" ; Light Source: fluorescent lamp. Focus Control: AutoFocus optics system (CCD and lens unit) ; Transparency Adapter:- Supported Film Size:35 mm mounted slides; 35 mm film strips; Medium format transparencies ; 4" x 5" film ; Transparency Size:12.2" x 16.5" ; Scan Features: Buttons:1 button: Start Accessories Supplied along with it :12.2" x 16.5" Transparency Adapter with holders for 35mm slides, film strips, 4" x 5" and medium format transparencies (included).
8	23-Aug-18	4	1	40	2	ROYAL ELECTRONICS SALES & SERVICES	Digital Photographer	DV VTR with play back adapter for camcorder	Not available in market, Technology obsolete	Closed	Yes, This Product is Obsolete. But CRISP had already suggested Latest Technology available in place of this which is : Pl. refer to Page 90, Sr. No. : 40 for Specification Details.
9	23-Aug-18	4	1	48	3	ROYAL ELECTRONICS SALES & SERVICES	Digital Photographer	Trolley set 30 ft.	Specifications not clear, You require one trolley or many more in same item.	Closed	This is : Motorized Slider (42 Inch) for Video Camera. It is Two-Axis Motorized Slider System ; PRO Slider ; Steel 42" Length Rails with 50 lb Load Capacity ; The Specifications have been already submitted.
10	23-Aug-18	4	1	49	4	ROYAL ELECTRONICS SALES & SERVICES	Digital Photographer	Round Trolley 30 ft.	Specifications not clear, You require one trolley or many more in same item	Closed	This Product is : Hand-Held Stabilized 3-Axis Camera Gimbal with C-Clip with High Torque, Precision Controlled Motors; It does not require any Rounded Trolley now. All the specifications have already been submitted.

11	23-Aug-18	4	1	72	5	ROYAL ELECTRONICS SALES & SERVICES	Digital Photographer	Additional Trainer kit	Specifications not clear. Please clarify . Either Bread board trainer or individual trainer board	Closed	Individual Trainer Board is required. It should be possible to perform all the experiments on single trainer board.
12	23-Aug-18	4	1	43	6	ROYAL ELECTRONICS SALES & SERVICES	Digital Photographer	DSLR Camera Lenses 4 No.	Specifications for 4 types of lenses, you mention 2nos. quantity so we calculate 4 X 2 = 8 Nos. or What? Please confirm & clarify	Closed	4 Different Lenses in 2 Sets = 8 No. of Lenses in total to be purchased : 1) Lens 01 : Fisheye Lens (f/2.8; 16 mm) : Lens Construction (Elements/Groups)-8/5 ; Picture Angle with 35mm (135) format-180° ; Picture Angle with Nikon DX Format-107°; Minimum f/stop : 2.8; Closest focusing distance-0.25m; Maximum reproduction ratio-1/10;Filter Attachment Size;;Rear attachment type; Lens Cap-Slip-on; Lens Hood-Built-in; Lens Case; 2) Lense 02 : Normal Lens (f/1.2; 50 mm) : Lens Construction (Elements/Groups) : 7/6 ; Picture Angle (in 35mm [135] format equivalent) : 46(deg) ; Minimum f/stop : 16 ; Closest focusing distance : 0.5m/1.7 ft.; Maximum reproduction ratio : 1/7.9 ; Filter Attachment Size : 52mm ; (3) Lense 03 : Tele Photo Lens AF ZOOM (f/4.5 - 5.6; 70 - 300 mm ; Internal Focusing IF - ED) Lens : Lens Construction (Elements/Groups); 17/12 (2 ED glass elements) ; Picture Angle with 35mm (135) format ; 34°20' - 8°10'; Minimum f/stop : 4.5 - 5.6 ; Closest focusing distance ; 1.5m ; Maximum reproduction ratio : 1/4; Filter Attachment Size : 67mm ; Lens Cap ; Snap-on. (4) Lense 04 : Macro Lens (f/ 2.8; 105 mm) : Lens Construction (Elements/Groups); 14/12 ;1 ED glass, 1 Nano Crystal Coat-deposited lens elements); Picture Angle with 35mm (135) format; 23°20'; Picture Angle with Nikon DX Format15°20'; Minimum f/stop 2.8; Closest focusing distance; 0.314m; Maximum reproduction ratio; 1/1 ; Filter Attachment Size - 62mm; Lens Cap - Snap-on; (5) CAMERA BAG also required : Camera Bag Type : Backpack ; Weight : 2000 g (Approx.) ; Collection/Series : Pro Light ; Types of Gear : DSLR, Mirrorless, Professional DSLR, Video camera ; Number of Lenses : 9 ; With Tripod Connection ; Storage for personal items : Yes ; Color : Black ; Material : Nylon, Rip Stop, Synthetic Fabric ; External Height : 46 cm ; External Length : 30 cm ; External Width : 24 cm ; Internal Height : 44 cm ; Internal Length : 28 cm ; Internal Width : 17 cm ; Laptop Compartment Height : 44 cm ; Laptop Compartment Length : 28 cm ; Laptop Compartment Width : 2 cm ; Type of Bag Backpack ; Compatible DSLR camera : Canon , Nikon, Sony ; With attached Complete Rain Cover.

13	23-Aug-18	10	1	97	7	ROYAL ELECTRONICS SALES & SERVICES	Basic Cosmetology	latest Software related to cutting colouring perming & straightening	You mention 4 types of software. You require all of them or any one. Also not mention users i.g. software comes with license like single user license, multiuser license etc.	closed	Software is • Cutting Optimization pro 5.9.7.14. • ColourIt 1.0 • GNCutter - cutting optimizer for PDA 1.5 • 1DNest: 1D Cutting Optimizer 3.5.3.72/ Any other software or Latest version of software with 1or2 year extended warranty. Need all the softwares because each of them working mode is diiferent.and need multi licence for multiple working. It is perpetual with backup. Minimum 8license.
14	23-Aug-18	10	1	98	8	ROYAL ELECTRONICS SALES & SERVICES	Basic Cosmetology	Software related to Make-Up.	You mention 4 types of software. You require all of them or any one.Also not mention users i.g. software comes with license like single user license, multiuser license etc.	Closed	Software is • Photo Makeup Editor 2.05 • SoftSkin Photo Makeup • MakeUp Pilot 4.7.1 • AKVIS MakeUp 3.0 or Latest version of software with 1or2 year extended warranty. Need all the softwares because each of them working mode is diiferent.and need multi licence for multiple working. It is perpetual with backup. Minimum 8license.
15	23-Aug-18	11	1	227	9	ROYAL ELECTRONICS SALES & SERVICES	MMV Trade	Air conditioned CRDI Vehicle in running condition - LMV	Require New car or Old car. If we procure from our state than not able to transfer to any institute and if we purchase from Meghalaya than dealer of car not bill to us.	Closed	Required New Car. you are requested to explore the possibility/option of Joint Venture with local Dealer/Supplier.
16	23-Aug-18	11	1	273	10	ROYAL ELECTRONICS SALES & SERVICES	MMV Trade	Twist drill	Specifications not clear and also confirm the quantity	Closed	HSS Drill Bit SET: Parallel Shank, 32 -38mm,Diamension:10 x 7 x 4 inches,cutting dia: 0.0625 inches;0.125 inches;0.109375 inches;0.5 inches
17	23-Aug-18	13	1	27	11	ROYAL ELECTRONICS SALES & SERVICES	Fruit & Vegetable	Jell meters	Specifications for Gas Analyzer not for Jell meters. Please clarify the specifications as per heading	Closed	Jell meters specification - Made of glass, 7 inch long tube with two mouth open in the end.
18	23-Aug-18	13	1	52	12	ROYAL ELECTRONICS SALES & SERVICES	Fruit & Vegetable	Vaccum Pan (Capacity 50 ltr.)	For which Fruit OR vegetable, you want to use the item. Please	Closed	Fruits and vegetables like Mangoes, Guavas, Tomatoes, Green Peas, Papayas etc.

									mention name of fruit or vegetable.		
19	23-Aug-18	13	1	108	13	ROYAL ELECTRONICS SALES & SERVICES	Fruit & Vegetable	Wooden Show Case	<p>Wooden Made • Glass show Case • Made of high quality plastic material, designed with 8 holes, each socket is 20mm diameter • No of Racks --3</p> <p>In specifications, you mention Plastic material, which is not understand. Please clarify. Plastic material not understand</p>	Closed	<p>Specification of Wooden Show Case :</p> <ul style="list-style-type: none"> • Wooden Made • Glass show Case • No of Racks -- Minimum 3 nos.
20	24-Aug-18	3	1	54	1	NCCF of India limited	Carpenter	Carpenter tool kit 20 set	In item name it is written that carpenter tool kit 20 sets, but required 60 sets & number of items required is 8 numbers(A to H). Plz clarify the actual requirement.	Closed	<p>Read as Tool Kit (20 items) as listed below:</p> <p>(a) Handsaw - length : 600 mm, Blade material-high carbon steel, Handle material-Wooden. (B) Mortise chisel (Set) Material: Blade-high grade carbon steel, Handle-Plastic; Overall Length: 185 mm aprx. Handle Size: 8.5 x 3cm (L*D)apprx. Tip Size: Wide: 06,10,15 MM. Shaft Length: 100 mm aprx. (c) Tenion saw- Overall Height - Top to Bottom: -5.1 Inches. Overall Depth - Front to Back: -0.5 Inches. Handle made of wood. Blade made of high carbon steel (d) Firmer chisel (Set)- Material: Stainless steel, Overall Length: 250mm (apprx), Tip Size: 6, 10, 12, 16, 20,MM. (e) Mallet-Wood mallet hammer: material: wood overall, length: 300mm(medium). Made of hard wood, the handle & hammer head are integrally connected. (f) Carpenter claw hammer Head Weight : 500 GMS. Overall Length 340 MM aprx. Handle made from high quality axle wood. Partially hardened upto 55 to 58 HRC. Curved claw generates nail-pulling leverage (g) Hand brace with bits Brace: Sweep: 250 mm, Holding Size: 1/8" to 5/8" Dia, Self centring Chuck, Metal Part: Chrome plated Rust-resistant, Handle: Smooth Hardwood. (h) Plane-Material--ductile cast iron body, Carbon steel blades, Total Length (mm) :200mm, Blade Width: 55 mm</p>

21	24-Aug-18	3	1	63	2	NCCF of India limited	Mason	Steel shuttering 400 sqmtr	In item name steel shuttering is required 400 sqr mtr(very large in size)but in specification in sqrfeet. Please clarify the size & if possible approx weight of each shuttering of size:900 mm X 600 mm(3'X2')	Closed	Steel shuttering: Size: 900mm X 600mm (3'X2'), Light in weight, Leakproof joint, Nut bolt fastening, Strong enough to withstand RCC load, Smooth surface.
22	24-Aug-18	11	1	59	1	Moditech	MMV Trade	Cut section of centrifugal clutch assembly	Name of the item Centrifugal clutch where as specification is of Diaphram & coil spring clutch Hydraulic clutch control . Mechanism a pressure plate with coil spring will be not come.	Closed	Sepecifications of Cut Section of Centrifugal Clutch assembly: Please refer #59 at page 88, and for Diaphragm Clutch assembly at # 60 on the same page.
23	24-Aug-18	11	1	65	2	Moditech	MMV Trade	Demonstration board of 2W ignition system, ignition coil.	2 stroke disel engine will be not available in market. Inplace we can supply 2 stroke petrol engine ignition system.	Closed	Yes , You may supply - 2 stroke Petrol Engine ignition system.
24	24-Aug-18	11	1	66	3	Moditech	MMV Trade	Demonstration board of electronic ignition system, ignition coil.	As per item name Electronic ignition system is ask, where as description asking for dynamo & contact brake ignition system oscilloscope will be not connect to ignition system.	Closed	Yes, Specification for - Electronic Ignition System,Transistor ignition with Hall transmitter (TSZH), transistor ignition with inductive generator (TSZI) and static high voltage distribution (RUH) are built up. From each component, the connections are made with 4 mm safety sockets facing forward. Each connection is labeled with the terminal designations , with the designations of the respective original circuit diagram. All measuring points are used for working with an oscilloscope and multimeter on the front side and are therefore easily accessible. The components and components are wired via a 4 mm safety laboratory cable.

25	24-Aug-18	11	1	78	4	Moditech	MMV Trade	Drum Brake assembly	The model is made out of original parts such as two brake drum assembly, one master cylinder wheel cylinder (one sanctioned) brake shoes, etc, the model can be demonstrated by operating the lever provided.	Closed	Yes- Specification for Break drum Assembly Model--The demonstration model should be consist of two master cylinders and with four brake drums (12"to 14" Rim Diameter. One of the master cylinder is suitably sectionized. Suitably mounted on heavy wooden base with operating brake pedal and lever.
26	24-Aug-18	11	1	93	5	Moditech	MMV Trade	Front axel(Rzeppa joint) with stand for dismantling & assembly	In front axel Rzeppa joint model semi floating rear axel will be not come. The axel will be of original vehicle accessories, will be mounted on to the stand, all the aggregates will be cleaned & service & painted with single colour.	Closed	Yes - Specification for Front Axle - Front axle consist of Driveshaft with suitable stand height 3'-3.5',Axle shaft used from original manufacture.The model should have facility to assemble the sub component and reassemble it.
27	24-Aug-18	11	1	99	6	Moditech	MMV Trade	Functional experiment model of different type of sensors.	Option of multimeter & Oscilliwcope will be provided.	Closed	Yes- option can be provided with multimeter & Oscilliwcope will be provided.
28	24-Aug-18	11	1	120	7	Moditech	MMV Trade	Injector Multi hole type, pintle type	Injector Multi hole type, pintle type is made of metal not plasstic or ceramic	Closed	Yes- you can supply mixed type (plasstic and ceramic and multi hole type)

29	24-Aug-18	11	1	211	8	Moditech	MMV Trade	Vacume assisted hydraulics brake assembly with vacuum booster.	Name of the item vacuum assisted hydraulic brake where as specifications is the air brakes with EBS.	Closed	The motor vehicle compressed-air braking system consists solely of original componant. for show the EBS control procedures, the functional model has four electrically driven wheel units for simulation of the front and rear axle. An integrated fault circuit, with 10 practically oriented faults,should to follow realistic operating situations and practice troubleshooting. The modular system structure should allows students to gradually become accustomed to the fi eld of commercial vehicle compressed-air braking systems. The flexible component connections should ensure the greatest possible freedom in designing training situations and action-oriented learning content transfer. The differently coloured compressed-air lines support a clearly structured test set-up. The system has an OBD diagnostic interface for connecting suitable diagnostic systems. interface should allows connection of up to 14 trainee measuring stations. It should be supplied with four large pressure gauges and original test connections.
30	24-Aug-18	11	1	232	9	Moditech	MMV Trade	Disel engine(CRDI) 4 stroke	In CRDI Engine pump not avilable only CRDI pump/ high pressure pump avilable.	Closed	Read as CRDI Pump /High Pressure pump.

31	24-Aug-18	11	1	234	10	Moditech	MMV Trade	Disel engine(CRDI) 4 stroke working model	Name of the item is Disel CRDI engine where as specification is petrol engine.	closed	A latest technology 1.3L-1.5L diesel engines having 60-75PS@3000 to 4500 rpm with Common rail direct fuel injection system. It should helps to simulate engine startup, speedup, slowdown and other actions so as per the structure and working principle of CRDI engines.Other feature real and operating CRDI Diesel engine, working process,Coloured circuit diagram on the training Module printed on to 6mm organic glass base,Detection terminals for operator to detect various sensors, actuators, electrical signals for engine control unit, such as resistive, voltage, current , frequency and wave form signals are should be provided on to the printed circuit diagaram,Automobile meters are should be fitted on to the training module along with the printed circuit diagram, to demonstrate engine speed, temperature, fuel pressure, charging light etc.the training module have to fitted with diagnostic socket (DLC) for universal automobile decoder(Scan tool) to read fault codes, clear fault codes and read data stream.Fault setting switch bank should be provided to induce faults in the training module to demonstrate the fault and to diagnose faults.Good working condition engine shall be provided with fuel tank and battery. Throttle control is provided on the module to accelerate.The training module should be fabricated using steel pipe frame with spray painted for good looks and the entire setup is provided with caster wheels with brakes for easy movement of the same.
32	24-Aug-18	11	1	248	11	Moditech	MMV Trade	Petrol engine(2 stroke) motor cycle/ scooter along with special tools.	175 cc 2 stroke engine not avilable, inplace we can supply 150 cc??	Closed	Yes . 150 cc 2 strok engine .
33		5	4		3		Draughtsman Civil Trade	STAAD pro	The item is of IT related, but required in equipments, is it possible to correct?	Closed	It is part of Trade specific equipment, hence to be procured/supplied under Lot-1(Trade Specific equipment). However, interested Bidders can supply through JV partner.

34		5	4		4		Draughtsman Civil Trade	Auto CAD CIVIL 3D Software	The item is of IT related, but required in equipments, is it possible to correct?	Closed	It is part of Trade specific equipment, hence to be procured/supplied under Lot-1(Trade Specific equipment). However, interested Bidders can supply through JV partner.
35		5	4		5		Surveyor Trade	Auto CAD CIVIL 3D Software	The item is of IT related, but required in equipments, is it possible to correct?	Closed	It is part of Trade specific equipment, hence to be procured/supplied under Lot-1(Trade Specific equipment). However, interested Bidders can supply through JV partner.
36		5	4		6		Surveyor Trade	ArcGIS Pro(Software)	The item is of IT related, but required in equipments, is it possible to correct?	Closed	It is part of Trade specific equipment, hence to be procured/supplied under Lot-1(Trade Specific equipment). However, interested Bidders can supply through JV partner.
37	24- Aug- 18	4	1	4	1	Indian Export and Import Co.		Structured Cabling	Whether Cabling is to be done for 10 PCs or 24 PCs.	Closed	Yes, the cabling need to be done for 24 Computers not 10-Computers
38	24- Aug- 18	4	1	5	2	Indian Export and Import Co.		14" LMD monitor	Name of item is 14" LMD Monitor. But your specifications are for 7" Video Monitor. Kindly Clarify along with exact use of the product.	Closed	It is 14-Inch LMD Monitor not 7-inch
39	24- Aug- 18	4	1	28	3	Indian Export and Import Co.		UPS 5-kVA	Name of Item is UPS-5 KVA but Specification is asking for 10KVA.Please clarify	Closed	Please read as UPS-5kVA not 10-Kva
40	24- Aug- 18	4	1	56	4	Indian Export and Import Co.		Over head projector with screen	Name of Item is OVERHEAD Projector with Screen But Specification is for Motorised Scree (no Projector is sspecified)	Closed	Overhead Projector with motorised Screen
41	24- Aug- 18	4	1	79	5	Indian Export and Import Co.		Linux Operating System	Name of item is Linux Operating system	Closed	Linux Operating System not Windows

									whereas Specification is for Win 10 Prof.		
42	24-Aug-18	4	1	81	6	Indian Export and Import Co.		MS Office	Name of item is MS office, but specification is for Network Management System	Closed	Ms Office, not Network Management System
43	24-Aug-18	4	1	82	7	Indian Export and Import Co.		Anti Virus	Name of item is Antivirus-Spec is MS office Professional 2016.	Closed	Please read as Antivirus Software
44	24-Aug-18	4	1	83	8	Indian Export and Import Co.		Data Recovery Software	Name of item is Data Recovery software but Specification is for Antivirus	Closed	It is Data recovery Software
45	24-Aug-18	4	1	84	9	Indian Export and Import Co.		Linux Server Operating System	Name of Item is Linux Server Operating System but Specification is Data Recovery Software	Closed	Linux Operating System not Windows
46	24-Aug-18	4	1	14	10	Indian Export and Import Co.		UPS 5-kVA	Name of item is Ups - 5KVA but sepcification is 7.5KVa to 8KVA.Please specify exact usage for this item .Is it meant to power Desktops?In which case it may be grossly overrated.	Closed	Please read as UPS-5kVA not 10-Kva
47	24-Aug-18	4	1	48	11	Indian Export and Import Co.		CCTV camera	Puffin is a very specific make and only available on Online sites.Further no DVR is mentioned ,so please specify whether you also need DVR and if so, how many ports? And can we quote for any other make.	Closed	Please ignore the name of the Make. May provide specifications inline or better than the specified in the Clause-6 of the Bid document
48	24-Aug-18	4	1	4	12	Indian Export and Import Co.		500 VA or higher off – line UPS FOR NODES	Name of Item is 500VA offline UPS but specification is for 10 KVA online.	Closed	Please read as UPS-5kVA not 10-Kva

49	24-Aug-18	4	1	16	13	Indian Export and Import Co.		500 VA or higher off – line UPS FOR NODES and server	Name of Item is 500VA or higher offline UPS but specification is for 10 KVA online.		Please read as UPS-5kVA not 10-Kva
50	24-Aug-18	4	1	5	14	Indian Export and Import Co.		Structured Cabling	You have specified Structured cabling for "all PCs"..Please specify quantity.Also you have mentioned a quantity of 78 nos..Kindly elaborate whether you are asking for 78 nos. of 24 port switches ?	Closed	Yes, the cabling need to be done for 78 Computers.
51	24-Aug-18	4	1	11	15	Indian Export and Import Co.		Interactive Board	Please specify size of Whiteboard	Closed	Not less than 6Ft x 4Ft

Sd/-

(A.Nath)

Joint Director

Directorate of Employment & Craftsmen and Training
Meghalaya, Shillong